PRICE LIST 2025 Parasol collection

USA

Prices excluding sales taxes

Valid from November 1st 2024

Presented by

UMBROSA

UMBROSA INC 530 7th Avenue, Suite 902 NY 10018 (855) 285 6595 info@umbrosa.com

www.umbrosa.com

Retail pricing EXCLUDING SALES TAXES - valid from November 1st 2024. Prices may be subject to change without any notification.



UMBROSA COMPANY

A Unique Shade Design, there is no better way to describe what Umbrosa stands for. Umbrosa offers stylish and sustainable shade solutions for the residential, commercial and hospitality market.

The umbrellas by Umbrosa are a clear statement of both elegance and simplicity, in combination with innovative ergonomics that puts "easy-to-use" to a higher standard. All design, development and assembly is done at our facility in Belgium. This guarantees for ultimate quality and flexibility to ensure a lifelong enjoyment of our solutions. Nature is an inexhaustible source of inspiration: trees and plants provide shade in a unique way. Umbrosa, and its team of designers, relies on the ingenious aspect of nature for the development of polyvalent and innovative shade creations, distinguished in many ways from the classic umbrella. Umbrosa is the specialist in state-of-the-art umbrellas for both residential and commercial applications. Our umbrella collections are exported to 95 countries and are used around the world in the most beautiful gardens and hotel properties.

TEAM

Umbrosa offers you the flexibility and personal service of a SME, while our numerous international references give the experience and charisma of a world player. You can count on the advice and guidance of one direct contact person. Our 40-member team from Belgium, organizes the entire production process, from product development to sales - and is also responsible for the worldwide shipping of our products. All products from our different ranges are manufactured in our factory Belgium. Umbrosa is your reliable partner and guarantees you affordable and sustainable luxury and Belgian quality.

Umbrosa has a daughter branch in Brazil, Umbrosa do Brazil. Here we produce all our parasols for the South American market. On January 1st 2022 Umbrosa INC was founded. Besides production in Belgium, Umbrosa also delivers the US market from a local warehouse.

VISION AND MISSION STATEMENT

Vision

Umbrosa wants to provide all terraces and gardens around the world with Unique Shade Solutions.

Mission

To manufacture high-end shade solutions in Belgium, that offer the optimal user experience, by designing unique, innovative and sustainable products, that have an impact on outdoor living.

Values

Passion | Communication | Perfection | Personal growth



TABLE OF CONTENTS

| Umbrosa presentation | p. 02 |
|--|-------|
| Practical arrangements | p. 05 |
| Nata NEW | p. 07 |
| Paraflex NEW SIZE ALSO AVAILABLE AS PX | p. 12 |
| Spectra NEW FRAME COLOR | p. 21 |
| Icarus ALSO AVAILABLE AS PX | p. 29 |
| Versa BESTSELLER | p. 35 |
| Eclipsum ALSO AVAILABLE AS PX | p. 42 |

DESIGNERS

Umbrosa distinguishes itself by a daring design that is both accessible and playful. To obtain this, we call on renowned designers - NG Design, Dirk Wynants, Pieter Willemyns, Peter Leleu, Hanne Besard, Lennart Delporte, Karim Rashid and Tore Bleuzé - each of them has a creative vision and innovative ideas which give a whole new meaning to the concept of a standard umbrella.

Karim Rashid

Visionary and prolific, Karim Rashid is one of the most unique faces within the design world today. With more than 4,000 designs in production, more than 400 awards to his name and working in 47 countries, Karim's ability to transcend typology continues to make him a force among designers of his generation. Karim Rashid's Eclipsum UX is the result of the collaboration between Umbrosa and Karim Rashid.

MADE IN BELGIUM

All design, development and assembly is done in Belgium, which provides all parties with the best guarantee for quality and flexibility.

SPARE PARTS

Even long after the warranty period, we want to grant you a lifelong enjoyment of our products. Therefore we offer an extensive after sales service program. Not only can you order replacement canopies or frames, but you can also order each available individual component of your umbrella. To make it easy for you, we have detailed technical drawings of each product, so that you can quickly identify the piece you need. Umbrosa will charge you a limited fixed cost for picking and packing of spare parts. Detailed drawings can be found on our website under the section 'downloads', or in the installation manuals.



NG Design, Hanne Besard, Karim Rashid, Lennart Delporte, Tore Bleuzé, Pieter Willemyns , Peter Leleu, Dirk Wynants



PRODUCTION LEAD TIMES

QUICK SHIP = 8 DAYS 4 = production lead time 4 WEEKS

To serve you even better we have opened in May 2022 our US warehouse. In order to give you a clear and transparent lead time, Umbrosa works with simple indications of the availability date for departure, as well as the departure location. You will find a summary table with every collection. In that way you always know when goods will be available. Important note: the number of days and weeks are working days and working weeks. The most popular models are available as 'QS' or QUICKSHIP . That means that the items will be ready for shipping within a maximum of 8 working days, for orders from 1 to 5 items and after payment. A second group of models are available as '4', this means that the items will be ready for shipping within a maximum of 4 working weeks, for, orders from 1 to 5 items and after payment. For orders of more than 5 items the exact lead time will depend on our stock levels. Please get in touch with Umbrosa for more information.

In summary these are our lead time categories: QS => ready for shipping within 8 working days 4 => ready for shipping within 4 weeks

| PRODUCTION TIME, COLOURS AND MODELS | | | | | | | | | | | | |
|-------------------------------------|---------|--------|-----------------|-------|--------|------|-------|--------|--------|------|----------|-------|
| | | SOLI | COLORUM COLORUM | | | | | | | | | |
| SPECTRA | Natural | Canvas | Grey | Taupe | Marble | Mint | Blush | Pepper | Almond | Sand | Flanelle | Black |
| | QS | QS | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

USE OF PRODUCTCODES

Use our simplified product codes to place your order We have simplified the Umbrosa codes and as a result they are now much more user-friendly. Please mention the correct code with every order. This not only saves us time, but helps you as a client as well and will limit the chance of mistakes.

Construction of the codes:

- name of the collection either in full or abbreviated
- the nature of the product or the form f.e. holder, pole, cover,
- round, square,...
- dimension/size of the umbrella
- the color of the umbrella needs to be filled out at the back (in the Quick Ship chart, the colors are mentioned above the codes)

Colour: fill out, f.e. natural

Finish: Alu

Collection: Spectra Dimensions: 300 cm

QR-CODES

On each collection page you will find a QR code with a direct link to the product's technical data sheet. In this way you can easily find the extra information needed to close your sale.

COMPLAINTS AND AFTER SALES

Every complaint or after sales service will be treated with the utmost care once we have received the following information:

- Commercial Invoice
- Photos or video showing the problem
- Description of the issue

FABRICS

Umbrosa has two collections of parasol fabrics. The Solidum colors are standard colours. The fabric is 100% Acryl and is made by Dickson. The Colorum collection contains the more exclusive colors. These fabrics, also 100% Acrylic, are manufactured by Dickson (Sunbrella) or Tuvatextil (Agora).

| SOLIDUM : Acryl 250 gr/m2 / Colour Rating 7/8 (max = 8) / Water repellent | Natural | Canvas | Grey | Таире |
|---|---------|--------|----------|---------|
| COLORUM: Acryl 260 gr/m2 / colour Rating 7/8 (max = 8) / Water repellent Marble Mint Blush Pepper Image: Second | Almond | Sand | Flanelle | Black |
| $\underbrace{40^{\circ}}_{40^{\circ}} \bigtriangleup \ \square \ \bigotimes \ \boxtimes$ | | sur | brella | (agoia) |

UMBROSA

UMBROSA COLLECTIONS

| OVERVIEW UMBROSA PARASOL COLLECTIONS | | | | | | | | | |
|--------------------------------------|----------|----------------|---|--|--|--|--|--|--|
| | STANDARD | STANDARD UX PX | | | | | | | |
| NATA | • | • | | | | | | | |
| PARAFLEX | • | • | • | | | | | | |
| SPECTRA | • | | | | | | | | |
| VERSA | | • | • | | | | | | |
| ICARUS | • | • | • | | | | | | |
| ECLIPSUM | | • | • | | | | | | |


STANDARD COLLECTION

Each model of the standard collection is available with 12 different fabric colours. In this collection, we offer Quick Ship models that can leave our warehouse within 8 working days. The rest of the models have a production time of 4 weeks.

UX-COLLECTION

Each UX parasol (Unique experience) is a unique combination of colour, shape and materials. **Depending on the collection**, we have up to 8 fixed UX combinations: Full Black, Architecture, Sand, Latte, Safari, Nostalgic Plu, Nostalgic Roman and Nostalgic Zen. These products have a production lead time of 4 weeks.

UX combinations



| | Latte | | | Safari | |
|--------|------------------------|------------------|--------|------------------------|------------------|
| Canopy | Frame + base | Cover base | Canopy | Frame + base | Cover base |
| Canvas | RAL 1019 Grey Beige | Thermo Poplar | Sand | RAL 7006 Earth Clay | Thermo Poplar |

| Plu | | Ror | nan | Zen | | |
|--------|--------------------------------|--------|------------------|--------|------------------------|--|
| Canopy | Frame | Canopy | Frame | Canopy | Frame | |
| Almond | RAL 1013 Beige Limestone | Canvas | RAL9005 Black | Canvas | RAL 1019 Grey Beige | |

PX COLLECTION

A PX parasol is a personalized version of a UX model, put together according to your personal taste or that of your customer. PX stands for "Personal Experience" and means that you can freely combine the color of the frame, canopy and parasol base within the colors offered. These products have a production lead time of 4 weeks.



The Nata center post umbrella is a sophisticated and user-friendly addition to any outdoor environment. With its simple design, this parasol offers a timeless aesthetic that perfectly suits both small and large projects.

DESIGNER


Umbrosa Design Team

USP

Simplicity meets elegance.

SELLING POINTS

- Elegant and compact center post umbrella
- Center post umbrella with tilt function for standard version, the UX version has no tilt function
- Very easy to open and close
- Protection cover is optional



NATA UX



NATA

Prices excl. sales taxes





QUICK SHIP

| PRODUCTION TIME, COL | PRODUCTION TIME, COLORS AND MODELS | | | | | | | | | | | |
|----------------------|------------------------------------|--------|------|-------|--------|------|-------|--------|--------|------|----------|-------|
| | | SOLI | DUM | | | | | COLC | DRUM | | | |
| NATA COLOR | Natural | Canvas | Grey | Taupe | Marble | Mint | Blush | Pepper | Almond | Sand | Flanelle | Black |
| ROUND 9'2.2" | 4 | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| ROUND 10'6" | 4 | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| SQUARE 6'6.7" | 4 | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| SQUARE 7'6.6" | 4 | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

QS = 8 working days / 4 = 4 weeks production time

| NATA ROUND | | PRICE frame + canopy | | | | | |
|-----------------------|-----------------------|----------------------|---------|----------|---------------------------------------|--|--|
| Black Frame | Beige Limestone Frame | Dimension | Fabric | (1) | Concrete base incl. ⁽²⁾ | | |
| NATT280ROBLACK-COLOUR | NATT280ROLIME-COLOUR | Ø 9'2.2" | Solidum | \$ 1402 | \$ 1936 | | |
| NATT280ROBLACK-COLOUR | NATT280ROLIME-COLOUR | Ø 9'2.2" | Colorum | \$ 1542 | \$ 2 076 | | |
| NATT320ROBLACK-COLOUR | NATT320ROLIME-COLOUR | Ø 10'6" | Solidum | \$ 1738 | \$ 2 272 | | |
| NATT320ROBLACK-COLOUR | NATT320ROLIME-COLOUR | Ø 10'6" | Colorum | \$ 1 912 | \$ 2 446 | | |



NATA SQUARE

| NATA SQUARE PRICE frame + canopy | | | | | | | | |
|--------------------------------------|-----------------------|-----------|---------|----------|---------------------------------------|--|--|--|
| Black Frame | Beige Limestone Frame | Dimension | Fabric | (1) | Concrete base incl. ⁽²⁾ | | | |
| NATT200SQBLACK-COLOUR | NATT200SQLIME-COLOUR | 6'6.7" | Solidum | \$ 1220 | \$ 1754 | | | |
| NATT200SQBLACK-COLOUR | NATT200SQLIME-COLOUR | 6'6.7" | Colorum | \$ 1342 | \$ 1876 | | | |
| NATT230SQBLACK-COLOUR | NATT230SQLIME-COLOUR | 7'6.6" | Solidum | \$ 1464 | \$ 1998 | | | |
| NATT230SQBLACK-COLOUR | NATT230SQLIME-COLOUR | 7'6.6" | Colorum | \$ 1 610 | \$ 2144 | | | |

⁽¹⁾ Support not included

UMBROSA

NATA

NATA STANDARD

MOUNTING OPTIONS AND BASES

| | | Description | Price excl. sales taxes |
|----------------------------------|---|--|-------------------------|
| Round support ROUNDSUPORTTYPE2 | | Support required for fixing on a hard surface. | \$ 294 |
| Soft ground | Î | Concrete anchor to anchor pole through concrete in soft ground - to be used in conjunction with support. | \$ 357 |
| Concrete bases CONCRETEBASE40 | 7 | Round concrete base Natural, 40 kg. | |
| CONCRETEBASE40BLACK | | Round concrete base Black, 40 kg. | \$ 534 |

REPLACEMENT CANOPIES - PROTECTION COVER

| | Shape | Dimension | Fabric | Price e | xcl. sales taxes |
|---|---------|-----------|---------|---------|------------------|
| NATA280COVERRO-COLOUR | | | Solidum | \$ | 648 |
| NATA280COVERRO-COLOUR | DOUND | 9'2.2" | Colorum | \$ | 788 |
| NATA320COVERRO-COLOUR | ROUND | | Solidum | \$ | 804 |
| NATA320COVERRO-COLOUR | | 10'6" | Colorum | \$ | 978 |
| NATA200COVERSQ-COLOUR | | CIC 7" | Solidum | \$ | 598 |
| NATA200COVERSQ-COLOUR | COLLADE | 6'6.7" | Colorum | \$ | 720 |
| NATA230COVERSQ-COLOUR | SQUARE | | Solidum | \$ | 742 |
| NATA230COVERSQ-COLOUR | | 7'6.6" | Colorum | \$ | 888 |
| PFPROTECTION Cover bag one size! Fits all Nata models - stick included - the cover needs to be folded for smaller models. Material: Polyester. | | | | | 192 |







NATA UX

Nata UX collection - production lead time: 4 weeks.

| NATA UX | PRICE frame + canopy | | | | | | | |
|---------------------|----------------------|--------|---------|-------------------------|--|--|--|--|
| | Dimension | Fabric | (1) | Concrete base incl. (2) | | | | |
| PLU280ROLIME-ALMON | Ø 9'2.2" | Almond | \$ 1980 | \$ 2 514 | | | | |
| ZEN280ROGRBE-CANVA | Ø 9'2.2" | Canvas | \$ 1720 | \$ 2 254 | | | | |
| ROM230SQBLACK-CANVA | 7'6.6" x 7'6.6" | Canvas | \$ 1720 | \$ 2 254 | | | | |

Nata UX combinations


| Nostalgic Plu | | Nostal | gic Zen | Nostalgic Roman | | |
|---------------|--------------------------------|--------|------------------------|-----------------|------------------|--|
| Canopy | Frame + base | Canopy | Frame + base | Canopy | Frame + base | |
| Almond | RAL 1013 Beige Limestone | Canvas | RAL 1019 Grey Beige | Canvas | RAL9005 Black | |

REPLACEMENT CANOPIES - PROTECTION COVER

| | Dimension | Fabric | Price excl. sales taxes |
|---------------------|--|--------|-------------------------|
| PLU280COVERRO-ALMON | Ø 9'2.2" | Almond | \$ 960 |
| ZEN280COVERRO-CANVA | Ø 9'2.2" | Canvas | \$ 896 |
| ROM230COVERSQ_CANVA | 7'6.6" x 7'6.6" | Canvas | \$ 1070 |
| NTPROTECTION_UX | Protection cover (Flanelle) for Nostalgic Zen and Roman. | | \$ 308 |
| PLPROTECTION_UX | Protection cover (Flanelle) for Nostalgic Plu. | | \$ 476 |

NATA STANDARD

NATA UX



⁽¹⁾ Support not included

 $^{\scriptscriptstyle (2)}$ Use on parasol base

UMBROSA

PARAFLEX





Nothing beats the versatility of the human body. As a result, for the Paraflex, we let ourselves be inspired by the manoeuvrability and strength of the human arm. A space-saving solution, without a base and without a pole, which offers you the possibility to create shade wherever you want, by means of one, two or more umbrellas, according to your needs. The light and compact Paraflex offers maximum shade and is highly wind-resistant.

DESIGNER

Peter Leleu

USP

The world's most flexible parasol.


SELLING POINTS

- Ideal for patios where there is no room for a base or pole (Wallflex)
- Flexible arm provides shade where desired
- Several configurations possible
- Easy to assemble
- Very easy to handle and store

PARAFLEX Prices excl. sales taxes

NEW DIMENSION

VERSIONS



UMBROSA

PARAFLEX Prices excl. sales taxes

PARAFLEX STANDARD

NEW DIMENSION

QR code to spec sheet



QUICK SHIP

| PRODUCTION TIME, COLORS AND MODELS | | | | | | | | | | | | |
|------------------------------------|---------|--------|------|-------|--------|---------|-------|--------|--------|------|----------|-------|
| | | SOLI | DUM | | | COLORUM | | | | | | |
| PARAFLEX Color | Natural | Canvas | Grey | Taupe | Marble | Mint | Blush | Pepper | Almond | Sand | Flanelle | Black |
| ROUND 2,7 M / 8'10" | QS | QS | QS | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| ROUND 3 M /9'10" | 4 | QS | QS | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| SQUARE 2 M / 6'6.7" | 4 | QS | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| SQUARE 2,3 M / 7'6.6" | QS | QS | QS | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

QS = 8 working days / 4 = 4 weeks production time



PARAFLEX WALL

| PARAFLEX ROUND | PRICE frame + canopy + NEO arm + protection cover | | | | | | | | |
|---------------------|---|---------|-------------------------|--|--|--|--|--|--|
| $\langle X \rangle$ | Dimension | Fabric | Price excl. sales taxes | | | | | | |
| PFWALL270NEO-COLOUR | 2,7 m / 8'10" | Solidum | \$ 2 151 | | | | | | |
| PFWALL270NEO-COLOUR | 2,7 m / 8'10" | Colorum | \$ 2 402 | | | | | | |
| PFWALL300NEO-COLOUR | 3 m / 9'10" | Solidum | \$ 2 404 | | | | | | |
| PFWALL300NEO-COLOUR | 3 m / 9'10" | Colorum | \$ 2 721 | | | | | | |

| PARAFLEX SQUARE | PRICE frame + canopy + NEO arm + protection cover | | | | | | | |
|---------------------|---|---------|-------------------------|--|--|--|--|--|
| | Dimension | Fabric | Price excl. sales taxes | | | | | |
| PFWALL200NEO-COLOUR | 2 m / 6'6.7" | Solidum | \$ 2 065 | | | | | |
| PFWALL200NEO-COLOUR | 2 m / 6'6.7" | Colorum | \$ 2 299 | | | | | |
| PFWALL230NEO-COLOUR | 2,3 m / 7'6.6" | Solidum | \$ 2 462 | | | | | |
| PFWALL230NEO-COLOUR | 2,3 m / 7'6.6" | Colorum | \$ 2 790 | | | | | |

PARAFLEX MONO

| PARAFLEX ROUND | PRICE frame + canopy + NEO arm + single pole & support + protection cover | | | | | | |
|---------------------|---|---------|---|---|--|--|--|
| \bigotimes | Dimension | Fabric | Round support incl. ⁽¹⁾ ROUNDSUPPORTTYPE1 | Concrete anchorage incl. (2) INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-ALU | | |
| PFMONO270NEO-COLOUR | 2,7 m / 8'10" | Solidum | \$ 2 961 | \$ 3 318 | \$ 4 605 | | |
| PFMONO270NEO-COLOUR | 2,7 m / 8'10" | Colorum | \$ 3 213 | \$ 3 569 | \$ 4 857 | | |
| PFMONO300NEO-COLOUR | 3 m / 9'10" | Solidum | \$ 3 215 | \$ 3 571 | \$ 4 859 | | |
| PFMONO300NEO-COLOUR | 3 m / 9'10" | Colorum | \$ 3 531 | \$ 3888 | \$ 5 175 | | |

| PARAFLEX SQUARE | PRICE frame + canopy + NEO arm + single pole & support + protection cover | | | | | | |
|---------------------|---|---------|---|---|--|--|--|
| | Dimension | Fabric | Round support incl. ⁽¹⁾ ROUNDSUPPORTTYPE1 | Concrete anchorage incl. (2) INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-ALU | | |
| PFMONO200NEO-COLOUR | 2 m / 6'6.7" | Solidum | \$ 2 876 | \$ 3 232 | \$ 4 520 | | |
| PFMONO200NEO-COLOUR | 2 m / 6'6.7" | Colorum | \$ 3 110 | \$ 3 466 | \$ 4 754 | | |
| PFMONO230NEO-COLOUR | 2,3 m / 7'6.6" | Solidum | \$ 3 272 | \$ 3 629 | \$ 4 916 | | |
| PFMONO230NEO-COLOUR | 2,3 m / 7'6.6" | Colorum | \$ 3 600 | \$ 3 957 | \$ 5 245 | | |

⁽¹⁾ Fixation on hard ground

⁽²⁾ Fixation in soft ground

⁽³⁾ Use on mobile parasol base

PARAFLEX Prices excl. sales taxes

PARAFLEX STANDARD

PARAFLEX DUO

| PARAFLEX ROUND | PRICE 2 X frame + 2 x canopy + 2 x NEO arm + multi pole & support + 2 x protection cover | | | | | | | |
|-----------------------|--|---------|--|--|--|--|--|--|
| \overleftrightarrow | Dimension | Fabric | Round support incl. ⁽¹⁾ UM-ROUNDSUPPORT-90 | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-ALU | | | |
| PFDU0270NEO-COLOUR | 2,7 m / 8'10" | Solidum | \$ 5 588 | \$ 5 945 | \$ 7 232 | | | |
| PFDU0270NEO-COLOUR | 2,7 m / 8'10" | Colorum | \$ 6 091 | \$ 6 448 | \$ 7736 | | | |
| PFDUO300NEO-COLOUR | 3 m / 9'10" | Solidum | \$ 6 095 | \$ 6 452 | \$ 7 740 | | | |
| PFDUO300NEO-COLOUR | 3 m / 9'10" | Colorum | \$ 6728 | \$ 7 084 | \$ 8 372 | | | |

| PARAFLEX SQUARE | PRICE 2 X frame + 2 x canopy + 2 x NEO arm + multi pole & support + 2 x protection cover | | | | | | | |
|--------------------|--|---------|--|--|--|--|--|--|
| | Dimension | Fabric | Round support incl. ⁽¹⁾ UM-ROUNDSUPPORT-90 | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-ALU | | | |
| PFDUO200NEO-COLOUR | 2 m / 6'6.7" | Solidum | \$ 5 417 | \$ 5 774 | \$ 7 062 | | | |
| PFDUO200NEO-COLOUR | 2 m / 6'6.7" | Colorum | \$ 5885 | \$ 6 242 | \$ 7 530 | | | |
| PFDUO230NEO-COLOUR | 2,3 m / 7'6.6" | Solidum | \$ 6 210 | \$ 6 567 | \$ 7854 | | | |
| PFDUO230NEO-COLOUR | 2,3 m / 7'6.6" | Colorum | \$ 6 867 | \$ 7 224 | \$ 8 511 | | | |



PARAFLEX MULTI 4

| PARAFLEX ROUND | PRICE 4 X frame + 4 x canopy + 4 x NEO arm + multi pole & support + 4 x protection cover | | | | | | | |
|-----------------------|--|---------|--|--|--|--|--|--|
| \overleftrightarrow | Dimension | Fabric | Round support incl. ⁽¹⁾ UM-ROUNDSUPPORT-90 | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-ALU | | | |
| PFMULTI270NEO-COLOUR | 2,7 m / 8'10" | Solidum | \$ 9 889 | \$ 10 246 | \$ 11 534 | | | |
| PFMULTI270NEO-COLOUR | 2,7 m / 8'10" | Colorum | \$ 10 896 | \$ 11 253 | \$ 12 540 | | | |
| PFMULTI300NEO-COLOUR | 3 m / 9'10" | Solidum | \$ 10 904 | \$ 11 261 | \$ 12 549 | | | |
| PFMULTI300NEO-COLOUR | 3 m / 9'10" | Colorum | \$ 12 169 | \$ 12 526 | \$ 13 813 | | | |

| PARAFLEX SQUARE | PRICE 4 X frame + 4 x canopy + 4 x NEO arm + multi pole & support + 4 x protection cover | | | | | | | |
|----------------------|--|---------|--|--|--|--|--|--|
| | Dimension | Fabric | Round support incl. ⁽¹⁾ UM-ROUNDSUPPORT-90 | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-ALU | | | |
| PFMULTI200NEO-COLOUR | 2 m / 6'6.7" | Solidum | \$ 9 548 | \$ 9 905 | \$ 11 192 | | | |
| PFMULTI200NEO-COLOUR | 2 m / 6'6.7" | Colorum | \$ 10 484 | \$ 10 841 | \$ 12 128 | | | |
| PFMULTI230NEO-COLOUR | 2,3 m / 7'6.6" | Solidum | \$ 11 133 | \$ 11 490 | \$ 12 777 | | | |
| PFMULTI230NEO-COLOUR | 2,3 m / 7'6.6" | Colorum | \$ 12 448 | \$ 12 804 | \$ 14 092 | | | |

Note: for a Paraflex multi 5 configuration you do not need an additional arm, just a frame, canopy and pole top (+ protection cover)

Attention: To reduce its ecological footprint, Umbrosa no longer includes the tiles with the bases. We recommend our customers to source those locally.

TILEBASE = frame + cover + wheels - tiles not included

⁽²⁾ Fixation in soft ground

PARAFLEX STANDARD

MOUNTING OPTIONS

| | | Description | Price excl. sales t | | |
|---------------------|---|---|---------------------|--|--|
| PFARM-NEO | Ĺ | Paraflex Neo arm 6'6.7", wall mount (34 x 9 cm) and bolts included, contemporary design made of anodised aluminum - clean design. | \$ 996 | | |
| PFMONOPOLE-220 | | Single pole made of anodised aluminum - to be used with one umbrella holder. | \$ 544 | | |
| PFMULTIPOLE-230 | | Multi pole suitable for the fixation of two, three or four umbrella holders and one extra umbrella (with poletop). | \$ 1020 | | |
| PFPOLETOP-MULTIPOLE | ŕ | Poletop to install 5th Paraflex on a multi pole. | \$ 119 | | |

MOUNTING OPTIONS AND BASES

| | | Description | Price excl. sales tax | | |
|----------------------------------|---|---|-----------------------|------|--|
| Hard ground ROUNDSUPPORTTYPE1 | | Round support straight 90° to install the MONO pole on a hard ground (concrete - wood) or on an Umbrosa base. Support is included in the Paraflex mono set (not included with the individual monopole). | | 266 | |
| UM-ROUNDSUPPORT-90 | ļ | Round support straight 90° to install the MULTI pole on a hard ground (concrete - wood) or on an Umbrosa base. Support is included in the Paraflex duo or multi set (not included with the individual multipole). | \$ | 266 | |
| Soft ground INGROUNDANCHORTYPE1 | Î | Concrete anchorage straight 90° to install the pole in a "soft" ground pouring concrete. Used in combination with the support. | \$ | 357 | |
| Tile base | | | | | |
| TILEBASESTD-L-ALU | - | Mobile large tile base set: tile base + cover + wheels in galvanized steel - 17,5 kg – 35" x 35" x 8.7" - cover ALU. Tiles not included. | \$ | 1644 | |

PARAFLEX STANDARD

REPLACEMENT CANOPIES - FRAMES - COMPONENTS

| | Component | Shape | Dimension | Fabric | Price exc | l. sales taxes |
|---------------------|--|--|-----------------------|--------------------------------|-----------|----------------|
| PFCOVER270-COLOUR | VER270-COLOUR | | 0/10// | Solidum | \$ | 590 |
| PFCOVER270-COLOUR | | ROUND | 8'10" | Colorum | \$ | 840 |
| PFCOVER300-COLOUR | | ROUND | 9'10" | Solidum | \$ | 694 |
| PFCOVER300-COLOUR | CANOPY | | 910 | Colorum | \$ | 1011 |
| PFCOVER200-COLOUR | CANOPY | | 6'6.7" | Solidum | \$ | 532 |
| PFCOVER200-COLOUR | | COLLADE | 00.7 | Colorum | \$ | 765 |
| PFCOVER230-COLOUR | | SQUARE | | Solidum | \$ | 900 |
| PFCOVER230-COLOUR | | | 7'6.6" | Colorum | \$ | 1 230 |
| PFFRAME270 | FRAME | ROUND | 8'10" | | \$ | 421 |
| PFFRAME300 | | ROUND | 9'10" | | \$ | 570 |
| PFFRAME200 | FRAIVIE | COLLADE | 6'6.7" | | \$ | 393 |
| PFFRAME230 | | SQUARE | 7'6.6" | | \$ | 421 |
| PFRIB270-PART | | | 8'10" | | \$ | 161 |
| PFRIB200-PART | | | 6'6.7" | | \$ | 161 |
| PFRIB300-PART | SPARE RIB | | 9'10" | | \$ | 161 |
| PFRIB230-SHORT-PART | | | 7'6.6" short | | \$ | 161 |
| PFRIB230-LONG-PART | | | 7'6.6" long | | \$ | 161 |
| PFGRIP-NEOPART | GRIP FOR NEO ARM | | | | \$ | 129 |
| PFPROTECTION | Cover bag one size! Fits for smaller models. Mat | s all Paraflex mo erial: Polyester. | dels - stick included | - the cover needs to be folded | \$ | 192 |

PARAFLEX


Prices excl. sales taxes

NEW DIMENSION




PARAFLEX UX

Production lead time: 4 weeks



| Price frame + canopy + NEO arm Black (RAL 9005) + protection cover | | | | | | | |
|--|-------------|----|-------|--|--|--|--|
| | Dimension F | | | | | | |
| PFWALL200NEOBLACK_UX | 6'6.7" | \$ | 2 723 | | | | |
| PFWALL230NEOBLACK_UX | 7'6.6" | \$ | 3 280 | | | | |

Paraflex UX combination



Prices for replacement canopies, see standard collection.

| | | PROTECTION COV | 'ER | | | |
|-----------------|----------------------|-------------------------------------|-------------------------|--|--|--|
| | Descri | iption | Price excl. sales taxes | | | |
| PFPROTECTION_UX | Cover bag Flanelle v | nelle with fiberglass stick. \$ 375 | | | | |

PARAFLEX

NEW



PARAFLEX PX

Production lead time: 4 weeks

CHOOSE YOUR COMBINATION (ARM + FRAME ALWAYS FULL BLACK, RAL 9005)

1. SHAPE

🔀 6'6.7" x 6'6.7" or 🔣 7'6.6" x 7'6.6"

2. CANOPY COLOR

| | | Natural | Canvas | Grey | Taupe |
|--------------|-----------------|--------------------|-------------------|---------------------|------------------|
| \boxtimes | 6'6.7" x 6'6.7" | PFCOVER200-NATURAL | PFCOVER200-CANVAS | PFCOVER200-GREY | PFCOVER200-TAUPE |
| \mathbb{X} | 7'6.6" x 7'6.6" | PFCOVER230-NATURAL | PFCOVER230-CANVAS | PFCOVER230-GREY | PFCOVER230-TAUPE |
| | | | Sand | Flanelle | Black |
| \boxtimes | 6'6.7" x 6'6.7" | PFCOVER200-MARBLE | PFCOVER200-SAND | PFCOVER200-FLANELLE | PFCOVER200-BLACK |
| \mathbb{X} | 7'6.6" x 7'6.6" | PFCOVER230-MARBLE | PFCOVER230-SAND | PFCOVER230-FLANELLE | PFCOVER230-BLACK |

| Price frame + | Price frame + canopy + NEO arm Black (RAL 9005) + protection cover | | | | | |
|---------------|--|-------------------------|--|--|--|--|
| | Dimension | Price excl. sales taxes | | | | |
| PX model | 6′6.7″ × 6′6.7″ | \$ 2 723 | | | | |
| PX model | 7'6.6" × 7'6.6" | \$ 3 280 | | | | |

Prices for replacement canopies, see standard collection.


Price for the protection cover, see UX collection.

PARAFLEX Prices excl. sales taxes

PARAFLEX STANDARD

PARAFLEX UX

PARAFLEX PX



CONCEPT



Step into the world of the Spectra cantilever umbrella, a true master of versatility. With its unique shape, this cantilever umbrella offers an endless range of positions. The sleek design effortlessly combines beauty with functionality thanks to its innovative fan system. Instead of closing vertically, the umbrella closes horizontally. A revolutionary and contemporary concept that is unmatched.

DESIGNER

Dirk Wynants


USP

The very first truly beautiful, elegant and functional parasol.

SELLING POINTS

- Very wind resistant thanks to the fiberglass ribs
- 180° fan system, easy to open and close
- The canopy can be fixed in different positions according to the position of the sun
- Pole rotates 360° around its axis.
- Spectra "forward (80°)" creates space between base and furniture.

NEW FRAME COLOUR



| Q | UΙ | СК | S | ΗI | Ρ |
|---|-----|------|----------|----|---|
| ~ | · · | 0.13 | <u> </u> | | |

| PRODUCTION TIME, COLORS AND MODELS | | | | | | | | | | | | |
|------------------------------------|---------|--------|------|-------|--------|------|-------|--------|--------|------|----------|-------|
| | | SOLI | DUM | | | | | COLC | DRUM | | | |
| SPECTRA COLOR | Natural | Canvas | Grey | Taupe | Marble | Mint | Blush | Pepper | Almond | Sand | Flanelle | Black |
| SPECTRA SQUARE | QS | QS | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| SPECTRA DUO/MULTI | QS | QS | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

QS = 8 working days / 4 = 4 weeks production time

NEW FRAME COLOUR



SPECTRA STANDARD



SPECTRA FORWARD AND STRAIGHT | ALU |8,2"

| PRICE ALU frame + canopy + round support + protection cover | | | | | | | | | | | | |
|---|------|---------|----------|--|---|--|--|--|--|--|--|--|
| • | Pole | Fabric | (1) | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile base incl. ⁽³⁾ TILEBASESTD-L-ALU | | | | | | | |
| SP250ALUN80F-COLOUR | 80° | Solidum | ¢ 4.055 | ф <u>г</u> 010 | ¢ c.000 | | | | | | | |
| SP250ALUN90S-COLOUR | 90° | Solidum | \$ 4 655 | \$ 5 012 | \$ 6 299 | | | | | | | |
| SP250ALUN80F-COLOUR | 80° | Colorum | ¢ 4.026 | ¢ 5 10 2 | ¢ 6.490 | | | | | | | |
| SP250ALUN90S-COLOUR | 90° | Colorum | \$ 4836 | \$ 5 193 | \$ 6 480 | | | | | | | |





SPECTRA FORWARD AND STRAIGHT | BLACK | 8,2"

| PRICE BLACK frame (RAL 9005) + canopy + round support + protection cover | | | | | | | | | | | |
|---|------|---------|----------|---|---|--|--|--|--|--|--|
| • | Pole | Fabric | (1) | Concrete anchorage incl. (2) INGROUNDANCHORTYPE1 | Mobile base incl. ⁽³⁾ TILEBASESTD-L-BLACK | | | | | | |
| SP250BLACKN80F-COLOUR | 80° | Solidum | \$ 5305 | \$ 5 661 | \$ 7 097 | | | | | | |
| SP250BLACKN90S-COLOUR | 90° | Solidum | ψ 0.000 | \$ 5001 | φ / 00/ | | | | | | |
| SP250BLACKN80F-COLOUR | 80° | Colorum | \$ 5 486 | \$ 5842 | \$ 7 278 | | | | | | |
| SP250BLACKN90S-COLOUR | 90° | Colorum | Ψ 5400 | ψ 5042 | ψ 1210 | | | | | | |






SPECTRA FORWARD AND STRAIGHT | BEIGE LIMESTONE | 8,2"

| PRICE BEIGE LIMESTONE frame (RAL 1013) + canopy + round support + protection cover | | | | | | | | | | | |
|--|------|---------|-----|-------|-----|---------|----|---|--|--|--|
| • | Pole | Fabric | (1) | | (1) | | | horage incl. ⁽²⁾ NCHORTYPE1 | | e base incl. ⁽³⁾ ASESTD-L-LIME | |
| SP250LIMEN80F-COLOUR | 80° | Solidum | \$ | 5 305 | \$ | 5 661 | \$ | 7 097 | | | |
| SP250LIMEN90S-COLOUR | 90° | Solidum | Ψ | 0.000 | Ψ | 5 001 | Ψ | 1 001 | | | |
| SP250LIMEN80F-COLOUR | 80° | Colorum | \$ | 5 486 | \$ | 5 842 | \$ | 7 278 | | | |
| SP250LIMEN90S-COLOUR | 90° | Colorum | Ψ | 5 400 | Ψ | 5 0 4 2 | Ψ | 1210 | | | |

(1) Fixation on hard ground (2) Fixation in soft ground (3) Use on mobile parasol base For easy mounting, order spacer in addition!

UMBROSA

SPECTRA STANDARD





SPECTRA FORWARD AND STRAIGHT | ALU | 9'10"

| PRICE ALU frame + canopy + round support + protection cover | | | | | | |
|---|------|---------|----------|---|---|--|
| •₩ | Pole | Fabric | (1) | Concrete anchorage incl. (2) INGROUNDANCHORTYPE1 | Mobile base incl. ⁽³⁾ TILEBASESTD-L-ALU | |
| SP300ALUN80F-COLOUR | 80° | Solidum | \$ 5,562 | \$ 5 919 | ¢ 7.254 | |
| SP300ALUN90S-COLOUR | 90° | Solidum | \$ 5 562 | \$ 2.919 | \$ 7354 | |
| SP300ALUN80F-COLOUR | 80° | Colorum | \$ 5 971 | ¢ 6.007 | ¢ E 071 | |
| SP300ALUN90S-COLOUR | 90° | Colorum | \$ 29/1 | \$ 6 327 | \$ 5 971 | |





SPECTRA FORWARD AND STRAIGHT | BLACK | 9'10"

| PF | PRICE BLACK frame (RAL 9005) + canopy + round support + protection cover | | | | | | |
|-----------------------|---|---------|----------|--|---|----------|--|
| Pole Fabric | | Fabric | (1) | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile base incl. ⁽³⁾ TILEBASESTD-L-BLACK | | |
| SP300BLACKN80F-COLOUR | 80° | | Calidura | \$ 6 331 | ¢ 6 600 | \$ 8 123 | |
| SP300BLACKN90S-COLOUR | 90° | Solidum | \$ 0.331 | \$ 6 688 | ۵ izə | | |
| SP300BLACKN80F-COLOUR | 80° | Colorum | ¢ 6.740 | ¢ 7,007 | ¢ 0,500 | | |
| SP300BLACKN90S-COLOUR | 90° | Colorum | \$ 6740 | \$ 7 097 | \$ 8 532 | | |






SPECTRA FORWARD AND STRAIGHT | BEIGE LIMESTONE | 9'10"

| PRICE B | PRICE BEIGE LIMESTONE frame (RAL 1013) + canopy + round support + protection cover | | | | | |
|----------------------|---|---------|----------|----------|--|--|
| • | Pole | Fabric | (1) | | Mobile base incl. ⁽³⁾ TILEBASESTD-L-LIME | |
| SP300LIMEN80F-COLOUR | 80° | Solidum | \$ 6 331 | \$ 6 688 | \$ 8 123 | |
| SP300LIMEN90S-COLOUR | 90° | Solidum | φ 0.001 | \$ 0,000 | φ 0125 | |
| SP300LIMEN80F-COLOUR | 80° | Colorum | \$ 6740 | \$ 7 097 | \$ 8 532 | |
| SP300LIMEN90S-COLOUR | 90° | Colorum | φ 0740 | φ 1031 | φ 0.002 | |

⁽¹⁾ Fixation on hard ground ⁽²⁾ Fixation in soft ground ⁽³⁾ Use on mobile parasol base For easy mounting, order spacer in addition!

SPECTRA STANDARD



<u>Attention</u>: To reduce its ecological footprint, Umbrosa no longer includes the tiles with the bases. We recommend our customers to source those locally.

TILEBASE = frame + cover + wheels - tiles not included



DUO SPECTRA | ALU | 8'2" X 17'9"

| PRICE 2 X ALU frame + 2 x canopy + round support + protection cover | | | | | |
|---|---------|---|-----------|---|--|
| XX | Fabric | (1) Concrete anchorage incl. (2) INGROUNDANCHORTYPE1 | | Mobile base incl. ⁽³⁾ TILEBASESTD-L-ALU | |
| SPDUOALUN-COLOUR | Solidum | \$ 10 135 | \$ 10 492 | \$ 11 779 | |
| SPDUOALUN-COLOUR | Colorum | \$ 10 440 | \$ 10 796 | \$ 12 084 | |

(1) Fixation on hard ground (2) Fixation in soft ground (3) Use on mobile parasol base For easy mounting, order spacer in addition!

UMBROSA

SPECTRA STANDARD




| PRICE 2 X BLACK frame (RAL 9005) + 2 x canopy + round support + protection cover | | | | | |
|--|---------|-----------|---|-----------|--|
| XX | Fabric | (1) | Concrete anchorage incl. ⁽²⁾ Mobile tile base INGROUNDANCHORTYPE1 TILEBASESTD-L-I | | |
| SPDUOBLACKN-COLOUR | Solidum | \$ 11 462 | \$ 11 819 | \$ 13 255 | |
| SPDUOBLACKN-COLOUR | Colorum | \$ 11 768 | \$ 12 125 | \$ 13 560 | |



| DUO SPECTRA BEIGE LIMESTONE 8'2" X 17'9" | |
|--|--|

| PRICE 2 X BEIGE LIMESTONE frame (RAL 1013) + 2 x canopy + round support + protection cover | | | | | |
|---|---------|-----------|--|---|--|
| | Fabric | (1) | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-LIME | |
| SPDUOLIMEN-COLOUR | Solidum | \$ 11 462 | \$ 11 819 | \$ 13 255 | |
| SPDUOLIMEN-COLOUR | Colorum | \$ 11 768 | \$ 12 125 | \$ 13 560 | |



| PRICE 4 X ALU frame + 4 x canopy + support + protection cover | | | | | |
|---|---------|-----------|--|--|--|
| | Fabric | | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-ALU | |
| SPMULALUN-COLOUR | Solidum | \$ 20 259 | \$ 20 616 | \$ 21 903 | |
| SPMULALUN-COLOUR | Colorum | \$ 20 869 | \$ 21 225 | \$ 22 513 | |



MULTI SPECTRA | BLACK | 17'9" X 17'9"

| PRICE 4 X BLACK frame (RAL 9005) + 4 x canopy + support + protection cover | | | | | | |
|---|---------|-----------|--|--|--|--|
| | Fabric | (1) | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile tile base incl. ⁽³⁾ TILEBASESTD-L-BLACK | | |
| SPMULBLACKN-COLOUR | Solidum | \$ 22 912 | \$ 23 269 | \$ 24 705 | | |
| SPMULBLACKN-COLOUR | Colorum | \$ 23 523 | \$ 23 880 | \$ 25 315 | | |


⁽¹⁾ Fixation on hard ground ⁽²⁾ Fixation in soft ground ⁽³⁾ Use on mobile parasol base For easy mounting, order spacer in addition!

SPECTRA STANDARD

| AA. | MULTI SPECTRA BEIGE LIMESTO |
|-----|-----------------------------------|
| | |

one | 17′9″ x 17′9″

| PRICE 4 X BEIGE LIMESTONE frame (RAL 1013) + 4 x canopy + support + protection cover | | | | | |
|--|---------|-----------|--|-----------|--|
| | Fabric | (1) | Concrete anchorage incl. ⁽²⁾ Mobile tile base i INGROUNDANCHORTYPE1 TILEBASESTD-L- | | |
| SPMULTILIMEN-COLOUR | Solidum | \$ 22 912 | \$ 23 269 | \$ 24 705 | |
| SPMULTILIMEN-COLOUR | Colorum | \$ 23 523 | \$ 23 880 | \$ 25 315 | |



Attention: To reduce its ecological footprint, Umbrosa no longer includes the tiles with the bases. We recommend our customers to source those locally.

TILEBASE = frame + cover + wheels - tiles not included

⁽¹⁾ Fixation on hard ground ⁽²⁾ Fixation in soft ground ⁽³⁾ Use on mobile parasol base For easy mounting, order spacer in addition!

SPECTRA STANDARD

MOUNTING OPTIONS AND BASES

| | | Description | Finish | Price excl. | sales taxe |
|--------------------------------|----|--|---|-------------|------------|
| Hard ground SPACER1 | | When you want to install the umbrella on a solid surface, it is recommended to order a spacer so that you don't have to make a cutout in the surface. | HDPE | \$ | 129 |
| Soft ground | Ī | Concrete anchorage to install the pole in a "soft" ground pouring concrete. To use in combination with a round support. | Galvanized steel | \$ | 357 |
| Extension kit SPEXTKIT-ALUN | NÎ | | Alu | \$ | 236 |
| SPEXTKIT-BLACKN | 1Ĵ | the pole direct to the floor or in the ground, not for installation on a tile base (max. 2 pieces). | Black (RAL 9005) | \$ | 290 |
| SPEXTKIT-LIMEN | | – Tor installation on a the base (max. 2 pieces). | Beige limestone (RAL 1013) | \$ | 290 |
| Mobile bases | | | | | |
| TILEBASESTD-L-ALU | | Large standaard tile base: base - cover - | Cover: Alu | \$ | 1644 |
| TILEBASESTD-L-BLACK | | Large standaard tile base: base - cover - wheels in galvanized steel - 38.58 lbs (add at least 396 lbs of weight with tiles) - 35" x 35" x 8.7". Tiles not included. | Cover: Black (RAL 9005) | \$ | 1792 |
| TILEBASESTD-L-LIME | - | | Cover: Beige Limestone (RAL 1013) | \$ | 1 792 |

REPLACEMENT CANOPIES AND COVER BAGS

| | Dimensions | Fabric | Price exc | l. sales taxes |
|-----------------------|----------------|--|-----------|----------------|
| SP250COVERN-COLOUR | 8'2" x 8'2" | Solidum | \$ | 1 562 |
| SP250COVERN-COLOUR | 82 X 82 | Colorum | \$ | 1 743 |
| SP300COVERN-COLOUR | 9'10" x 9'10" | Solidum | \$ | 1 899 |
| SP300COVERN-COLOUR | 910 x 910 | Colorum | \$ | 2 308 |
| SPDUOMULCOVERN-COLOUR | DUO / MULTI | Solidum | \$ | 1 906 |
| SPDUOMULCOVERN-COLOUR | DOO / MOEIT | Colorum | \$ | 2 057 |
| SPPROTECTION | 8'2" and 9'10" | | \$ | 243 |
| SPDUO-PROTECTION | DUO | Cover bag in polyester with fiberglass stick. | \$ | 520 |
| SPMULTI-PROTECTION | MULTI | | \$ | 520 |

ICARUS

CONCEPT





Quick access to full technical data sheet

With the Icarus, Umbrosa hits two birds with one stone. Inspired by nature, we have designed an umbrella that also serves as a windscreen. The Icarus embraces and protects. It creates the safe shelter of a cocoon while allowing you to fully enjoy the beautiful weather.

DESIGNER

Umbrosa design team


USP

The only parasol that can also be used as a windshield and that creates the ultimate cocoon with its unique and natural shape.

SELLING POINTS

- · Extremely wind resistant parasol
- Large shaded area thanks to 360° rotation and height adjustment of the parasol
- Easy to use and ergonomic
- Cosy cocoon

VERSIONS



UMBROSA

ICARUS



ICARUS STANDARD

QUICK SHIP

| PRODUCTION TIME, COLORS AND MODELS | | | | | | | | | | | | |
|------------------------------------|---------|--------|------|-------|--------|------|-------|--------|--------|------|----------|-------|
| | | SOLI | DUM | | | | | COLC | DRUM | | | |
| ICARUS COLOR | Natural | Canvas | Grey | Taupe | Marble | Mint | Blush | Pepper | Almond | Sand | Flanelle | Black |
| ICARUS 9'10"X 9'10" | QS | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |

QS = 8 working days / 4 = 4 weeks production time

٦

| | ICARUS ALU 9'10" |
|---|----------------------|
| | |
| 1 | |

| PRICE ALU frame + canopy + round support + protection cover | | | | | | |
|---|---------|----------|--|---|--|--|
| | Fabric | (1) | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile base incl. ⁽³⁾ TILEBASESTD-L-ALU | | |
| ICARUS2N-COLOUR | Solidum | \$ 6 242 | \$ 6 599 | \$ 7886 | | |
| ICARUS2N-COLOUR | Colorum | \$ 6 532 | \$ 6 889 | \$ 8 176 | | |

MOUNTING OPTIONS AND BASES

| | | Description | Finish | Price excl. sales taxes |
|----------------------------------|---|--|------------------|-------------------------|
| Hard ground SPACER1 | • | When you want to install the umbrella on a solid surface, it is recommended to order a spacer so that you don't have to make a cutout in the surface. | HDPE | \$ 129 |
| Soft ground | Ī | Concrete anchorage to install the pole in a "soft" ground pouring concrete. To use in combination with a round support. | Galvanized steel | \$ 357 |
| Mobile base TILEBASESTD-L-ALU | ~ | Large standaard tile base ALU: base-cover- wheels - galvanized steel - 38.58 lbs (add at least 396 lbs of weight with tiles) - 35" x 35" x 8.7". Tiles not included. | Cover: Alu | \$ 1644 |

REPLACEMENT CANOPIES AND COVER BAG

| | Fabric | | sales taxes |
|----------------------|---|----|-------------|
| ICARUSCOVER2N-COLOUR | Solidum | \$ | 1741 |
| ICARUSCOVER2N-COLOUR | Colorum | \$ | 2 048 |
| ICARUSPROTECTION | Cover bag in polyester with fiberglass stick. | \$ | 272 |

⁽¹⁾ Fixation on hard ground ⁽²⁾ Fixation in soft ground For easy mounting, order spacer in addition!



ICARUS UX

Production lead time: 4 weeks

| PRICE frame + canopy + support + protection cover | | | | | |
|---|-----------|----------|--|----------------------------|--|
| | Dimension | (1) | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile base incl. (3) | |
| ICARUSSAND2N_UX | 9'10" | \$ 8 543 | \$ 8 899 | \$ 11 508 TILEBASEUX-LSAND | |

Icarus UX combination



SAND

MOUNTING OPTIONS AND BASES

| | 1 | | | | |
|-----------------------------------|---|---|--|-------------------------|--|
| | | Description | Finish | Price excl. sales taxes | |
| Hard ground SPACER1 | | When you want to install the umbrella on a solid surface, it is recommended to order a spacer so that you don't have to make a cutout in the surface. | HDPE | \$ 139 | |
| Soft ground | Ī | Concrete anchorage to install the pole in a "soft" ground pouring concrete. To use in combination with a round support. | Galvanized steel | \$ 357 | |
| Mobile bases TILEBASEUX-L-SAND | 2 | Mobile large UX base set: base- cover (Thermo poplar) - wheels 70.55 lbs (add at least 396 lbs of weight with tiles) - 35" x 35" x 8.7" (Sand), Tiles not included. | Sand - RAL 1013 Beige Limestone. Cover in wood (Thermo Poplar)*. | \$ 2965 | |

* Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

⁽¹⁾ Fixation on hard ground ⁽²⁾ Fixation in soft ground ⁽³⁾ Use on mobile parasol base For easy mounting, order spacer in addition!

ICARUS

ICARUS UX

| | | PROTECTION COVE | R |
|-----------------|----------------------|-----------------|-------------------------|
| | Descri | ption | Price excl. sales taxes |
| ICPROTECTION_UX | Cover bag Flanelle v | \$ 495 | |

Price for the protection cover, see UX collection.

ICARUS PX


Production lead time: 4 weeks

CHOOSE YOUR COMBINATION

1. FRAME COLOR




2. CANOPY COLOR



ICARUSCOVER2N-MARB

ICARUSCOVER2N-SAND

ICARUSCOVER2N-FLANE



ICARUSCOVER2N-BLACK

QR code to spec sheet



NEW

ICARUS

ICARUS PX

4. BASE

A. Top plate






B. Frame base



| PRICE PX frame + canopy + support + protection cover | | | | | |
|--|-----------|----------|--|-----------------------|--|
| | Dimension | (1) | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile base incl. (3) | |
| ICARUS PX | 9'10" | \$ 8 543 | \$ 8 899 | \$ 11 508 | |

* Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.


Prices for replacement canopies, see standard collection. Price for the protection cover, see UX collection.



Attention: To reduce its ecological footprint, Umbrosa no longer includes the tiles with the bases. We recommend our customers to source those locally. TILEBASE = frame + cover + wheels - tiles not included

VERSA

CONCEPT



Outdoor trends are moving towards a real outdoor living space where everthing has to be cosy, beautiful and functional at the same time. Furniture is chosen in function of the interior, the windows, the garden, the colors, etc. Parasols must also fit in perfectly. The UX collection includes five unique combinations, the PX collection allows you to compose your own parasol.

DESIGNER

Dirk Wynants and Umbrosa Design Team

USP

The impressive combination of luxury and sophistication in a robust and particularly user-friendly parasol.

SELLING POINTS


- 360° fan concept easy to open and close
- Height adjustable with one hand
- Rotation system (360°) is nicely integrated into the elegant parasol base
- Robust and extremely wind resistant (glass fiber ribs)
- Leans slightly forward (80°) in order to create space between the furniture and base

VERSIONS

VERSA UX



VERSA PX






VERSA UX

Production lead time: QS

| PRICE frame + canopy + support + protection cover | | | | | |
|---|---------------|---------|---|-----------|------------------------------|
| | Dimension | (1) | Concrete anchorage incl. (2) INGROUNDANCHORTYPE1 | Mobi | le base incl. ⁽³⁾ |
| VEARCHITECTURE_UX | 9'10" x 9'10" | | | | TILEBASEUX-L-ARCHI |
| VEFULLBLACK_UX | 9'10" x 9'10" | - | | \$ 10 899 | TILEBASEUX-L-BLACK |
| VESAND_UX | 9'10" x 9'10" | \$ 7934 | \$ 8 291 | | TILEBASEUX-L-SAND |
| VELAT350RO_UX | Ø 11'6″ | - | | | TILEBASEUX-L-LATTE |
| VESAF350RO_UX | Ø 11'6" | | | | TILEBASEUX-L-SAFARI |









* Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

REPLACEMENT CANOPIES AND PROTECTION COVER

| | Description | Price excl. sales taxes |
|----------------------|---|-------------------------|
| VE300SQCOVERMARB_UX | 9'10" x 9'10" Marble | |
| VE300SQCOVERBLACK_UX | 9'10" x 9'10" Black | € 2383 |
| VE300SQCOVERSAND_UX | 9'10" x 9'10" Sand | 0 2 000 |
| VE350ROCOVERCANV_UX | Ø 11'6" Canvas | |
| VE350ROCOVERSAND_UX | Ø 11'6" Sand | |
| VEPROTECTION_UX | Cover bag Flanelle with fiberglass stick. | € 500 |

VERSA UX

MOUNTING OPTIONS AND BASES

| | | Description | Finish | Price excl. sales taxes |
|---------------------|---|---|---|-------------------------|
| Hard ground SPACER1 | 0 | When you want to install the umbrella on a solid surface, it is recommended to order a spacer so that you don't have to make a cutout in the surface. | HDPE | \$ 129 |
| Soft ground | 0 | Concrete anchorage to install the | | |
| INGROUNDANCHORTYPE1 | | pole in a "soft" ground pouring concrete. To use in combination with a round support. | | \$ 357 |
| Mobile bases | | | | |
| TILEBASEUX-L-ARCHI | - | | Papyrus White - RAL 9018 | |
| TILEBASEUX-L-BLACK | | Mobile large UX tile base: base - cover - wheels - 70.55 lbs | Black - RAL 9005 | |
| TILEBASEUX-L-SAND | - | (add at least 396 lbs of weight with tiles) - 35" x 35" x 8.7" Tiles not included. (Sand, Latte, Safari: | Sand - RAL 1013 Beige Limestone. Cover in wood (Thermo Poplar). | \$ 2965 |
| TILEBASEUX-L-LATTE | | 35"x 35"x 9.45"). | Latte - Grey Beige RAL 1019. Cover in wood (Thermo Poplar). | |
| TILEBASEUX-L-SAFARI | - | | Safari - Earth Clay RAL 7006. Cover in wood (Thermo Poplar). | |

* Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

EXTENSION KIT (EXTENSIONKIT)


| | | Description | UX version | Price excl. sales taxes |
|----------------|---|---|------------|-------------------------|
| VEEXTKIT-PAPY | Ĩ | | ARCHI | |
| VEEXTKIT-BLACK | Ì | Versa UX extension kit 5.9" - heavy duty piece included. | FULL BLACK | |
| VEEXTKIT-LIME | Ĩ | The extension kit is recommended for installation of the pole direct to the floor or in the ground, | SAND | \$ 306 |
| VEEXTKIT-GREYB | Ĩ | not for installation on a UX base. | LATTE | |
| VEEXTKIT-EARTH | Ĩ | | SAFARI | |

VERSA

VERSA PX | 9'10" X 9'10" | Ø 11'6" | 80°



VERSA PX



| | white | | Limestone | | |
|--------------|---------------------|----------------------|---------------------|----------------------|----------------------|
| \mathbb{R} | VEFRAMEPAPY_UX | VEFRAMEBLACK_UX | VEFRAMELIME_UX | VEFRAMEGREYB_UX | VEFRAMEEARTH_UX |
| \bigotimes | VEFRAME350ROPAPY_UX | VEFRAME350ROBLACK_UX | VEFRAME350ROLIME_UX | VEFRAME350ROGREYB_UX | VEFRAME350ROEARTH_UX |

2. CANOPY COLOR

| | Natural | Canvas | Grey | Таире |
|--------------|---------------------|---------------------|---------------------|----------------------|
| \mathbb{H} | VE300COVERNAT_UX | VE300COVERCANV_UX_R | VE300COVERGREY_UX | VE300COVERTAUPE_UX |
| \bigotimes | VE350ROCOVERNAT_UX | VE350ROCOVERCANV_UX | VE350ROCOVERGREY_UX | VE350ROCOVERTAUPE_UX |
| | | Sand | Flanelle | Black |
| \mathbb{H} | VE300COVERMARB_UX | VE300COVERSAND_UX_R | VE300COVERFLAN_UX | VE300COVERBLACK_UX |
| \bigotimes | VE350ROCOVERMARB_UX | VE350ROCOVERSAND_UX | VE350ROCOVERFLAN_UX | VE350ROCOVERBLACK_UX |
| I | | | 1 | 1 |

VERSA

VERSA PX

4. BASE

A. Top plate




RAL9018 Papyrus white PAPYBASETOPPLATEUX



RAL1019 Grey Beige GREYBBASETOPPLATEUX



RAL9005 Black BLACBASETOPPLATEUX



RAL7006 Earth Clay EARTHBASETOPPLATEUX



RAL1013 Beige Limestone LIMEBASETOPPLATEUX



Thermo Poplar* **WOODBASETOPPLATEUX**

B. Frame base



RAL 9018 Papyrus white PAPYBASEFRAMEUX



RAL7006 Earth Clay EARTHBASEFRAMEUX



RAL9005 Black BLACBASEFRAMEUX



RAL1013 Beige Limestone LIMEBASEFRAMEUX




RAL1019 Grey Beige GREYBBASEFRAMEUX

* Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

VERSA PX

| PRICE PX frame + canopy + support + protection cover | | | | |
|--|---|----------|-----------|--|
| | (1) Concrete anchorage incl. (2) Mobile base incl. (3) INGROUNDANCHORTYPE1 | | | |
| Versa PX | \$ 7934 | \$ 8 291 | \$ 10 899 | |

Prices for replacement canopies, see UX collection. Price for the protection cover, see UX collection.



<u>Attention</u>: To reduce its ecological footprint, Umbrosa no longer includes the tiles with the bases. We recommend our customers to source those locally.

TILEBASE = frame + cover + wheels - tiles not included

⁽¹⁾ Fixation on hard ground ⁽²⁾ Fixation in soft ground For easy mounting, order spacer in addition! ⁽³⁾ Use on mobile parasol base

ECLIPSUM



A parasol doesn't get any rounder than the Eclipsum UX by Umbrosa. The new Eclipsum UX may look the same as its predecessor, but you'd be surprised. The parasol has been reinforced on several levels: wind resistance, stronger glass fibres and better rotation axis.

DESIGNER

NG Design

USP


The only truly round parasol: an iconic shade object.

SELLING POINTS

- Very easy to use
- Pole and ring rotate 360°
- Unique eye catcher on your terrace
- Canopy is easy to install and to store

ECLIPSUM Prices excl. sales taxes

VERSIONS






ECLIPSUM UX

Production lead time: 4 weeks


| PRICE frame + canopy + support + protection cover | | | | | |
|---|---|----------------------------|-----------|------------------------------|----------------------|
| | Dimension (1) Concrete anchorage incl. (2) Mobile UX base incl. (3) INGROUNDANCHORTYPE1 | | | JX base incl. ⁽³⁾ | |
| ECLIPSUMNARCHI_UX | Ø 9'10" | | . | | TILEBASEUX-ARCHI |
| ECLIPSUMNBLACK_UX | Ø 9'10" | \$ 10 702 | \$ 11 058 | \$ 13 667 | TILEBASEUX-L-BLACK |
| ECLIPSUM2N-KRASHID | Ø 9'10" | \$ 12 200 | \$ 12 557 | \$ 15 165 | TILEBASEUX-L-KRASHID |

UX combinations Eclipsum



ARCHITECTURE

FULL BLACK



REPLACEMENT CANOPIES

| | Description | Price excl | . sales taxes |
|----------------------|----------------------------------|------------|---------------|
| ECLIPSUMCOVERN-BLACK | 9'10" Black | | |
| ECLIPSUMCOVERN-MARBL | 9'10" Marble | \$ | 1 588 |
| ECLIPSUMCOVN-KRASHID | 9'10″ unique design Karim Rashid | \$ | 1 898 |

| PROTECTION | COVER |
|------------|-------|
| | |

| | Description | Price excl | sales taxes |
|-----------------|---|------------|-------------|
| ECPROTECTION_UX | Cover bag Flanelle with fiberglass stick. | \$ | 491 |

ECLIPSUM UX

| MOUNTING | OPTIONS | | BASES |
|----------|---------|-----|-------|
| MOUNTING | OF HONS | AND | DAGES |

| | Description | Finish | Price excl. sales taxes | |
|---------------------------------|---|--------------------------|-------------------------|-------|
| Hard ground SPACER1 | When you want to install the umbrella on a solid surface, it is recommended to order a spacer so that you don't have to make a cutout in the surface. | HDPE | \$ | 129 |
| Soft ground INGROUNDANCHORTYPE1 | Concrete anchorage to install the pole in a "soft" ground pouring concrete. To use in combination with a round support. | Galvanized steel | \$ | 357 |
| Mobile bases TILEBASEUX-L-BLACK | Mobile large UX base set: base - cover - wheels - 70.55 lbs | Black - RAL 9005 | \$ | 2 965 |
| TILEBASEUX-L-ARCHI | (add at least 396 lbs of weight with tiles) - 35" x 35" x 8.7". Tiles not included. | Papyrus White - RAL 9018 | | |
| TILEBASEUX-L-KRASHID | | Telemagenta - RAL 4010 | \$ | 2 965 |

NEW





ECLIPSUM PX

Production lead time : 4 week

CHOOSE YOUR COMBINATION

1. FRAME COLOR

RAL 9018 Papyrus white



ECFRAMEPAPY_UX

ECFRAMEBLACK_UX

2. CANOPY COLOR



3. BASE

A. Top plate



RAL9018 Papyrus white PAPYBASETOPPLATEUX

B. Frame base



RAL 9018 Papyrus white PAPYBASEFRAMEUX



RAL9005 Black BLACBASETOPPLATEUX



RAL9005 Black BLACBASEFRAMEUX




Thermo Poplar* **WOODBASETOPPLATEUX**

 Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

ECLIPSUM PX

| PRICE PX frame + canopy + support + protection cover | | | | | |
|--|-----------|--|-----------------------|--|--|
| | (1) | Concrete anchorage incl. ⁽²⁾ INGROUNDANCHORTYPE1 | Mobile base incl. (3) | | |
| Eclipsum PX | \$ 10 702 | \$ 11 058 | \$ 13 667 | | |

Prices for replacement canopies, see UX collection. Price for the protection cover, see UX collection.



Attention: To reduce its ecological footprint, Umbrosa no longer includes the tiles with the bases. We recommend our customers to source those locally.

TILEBASE = frame + cover + wheels - tiles not included

WARRANTY

UMBROSA LIMITED WARRANTY CONDITIONS

THIS LIMITED WARRANTY (THE "WARRANTY") GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO LIMITATIONS AS TO DURATION OF THIS WARRANTY MAY NOT APPLY TO YOU.

OUR RESPONSIBILITY FOR DEFECTIVE OR DAMAGED PRODUCTS IS LIMITED TO REPAIR OR REPLACEMENT, AS DESCRIBED IN THIS WARRANTY.

Capitalized terms used but not defined herein shall be given the meaning assigned to them in the Umbrosa Terms and Conditions of Sale ("Terms") to which this Warranty is attached and incorporated by reference.

Umbrosa always adheres to the warranty obligations of Belgian, European, and American manufacturers in accordance with the applicable law.

This limited warranty covers defects in materials and workmanship of Products, including those sold in Custom Orders and standard orders, sold by Umbrosa, Inc. ("Umbrosa"). All warranty requests must first be submitted to the retailer or website where the Product was purchased. This Warranty starts on the date of purchase of the Product and extends for the applicable time as listed in the "Special Limited Warranty Provisions" sections below. All warranty claims must be submitted with an original proof of purchase dated from the dealer of origin, and a description of the damaged Product, including how the damage occurred and photos of the damaged Product. This Warranty may not be assigned and is available only to the original purchaser of the Products; provided, however, for Resellers who otherwise distribute the Products with Umbrosa's consent, such Resellers may claim the benefit of this Warranty on behalf of their customers.

Umbrosa strives to develop and produce high-end, high-quality, and sustainable products that are optimized to withstand weather conditions and the environment in which they are used. All Umbrosa products are extensively tested to ensure good quality (including tests conducted at the University of Delft (NL) wind tunnel, and component testing with independent research laboratories), but Umbrosa cannot guarantee that its Products will never have defects.

Use of the warranty always requires the presentation of the original purchase invoice.

www.umbrosa.com details the information necessary to process the warranty request efficiently and quickly. This information must be provided to the retailer or website where the Product was purchased in order for the retailer or website to process the warranty request on the customer's behalf. Warranty requests must always be submitted in writing within 30 days after the initial observation of the issue. Umbrosa guarantees that, if covered by this Warranty, the problem will be solved at Umbrosa's sole option, through repair or replacement of the defective Products.

The warranty does not restart in case of replacement with a new product, unless otherwise required by law.

In case of a defect in an Umbrosa Product and upon the receipt of a warranty request in accordance with this Warranty, Umbrosa will, at its option, repair or replace the Product in accordance with the Special Limited Warranty Provisions in this Warranty. Unless specified otherwise in this warranty, in connection with a valid claim under this Warranty and in Umbrosa's sole discretion, Umbrosa will provide replacement parts and ship them to the customer free of charge. Umbrosa is not responsible for any other costs, including costs associated with replacing or installing Product parts or components.

DIRECT OR INDIRECT DAMAGE CAUSED BY (I) IMPROPER USE; (II) FAILURE TO FOLLOW INSTALLATION, USE, OR MAINTENANCE INSTRUCTIONS AS POSTED ON UMBROSA'S WEBSITE; (III) MODIFICATIONS TO THE PRODUCT NOT AUTHORIZED BY UMBROSA; (IV) UNAUTHORIZED REPAIR; (V) NORMAL WEAR AND TEAR, OR (VI) EXTERNAL CAUSES SUCH AS ACCIDENTS, ABUSE, OR OTHER ACTIONS OR EVENTS BEYOND UMBROSA'S REASONABLE CONTROL (INCLUDING, BUT NOT LIMITED TO, WIND, SNOW, HAIL, HURRICANES, STORMS, AND OTHER EXTREME WEATHER CONDITIONS, PRODUCTS FALLING AND STRIKING THE GROUND OR ANOTHER OBJECT OR BEING STRUCK BY FALLING MATERIAL) ARE NOT COVERED BY THIS WARRANTY.

The biggest threat to the lifespan of Umbrosa Products are weather conditions and external environmental factors. Therefore, always provide the appropriate carefor any Umbrosa Product and never leave it open unattended. Damage caused by incorrect use or extreme weather conditions including, but not limited to, wind, snow, hail, hurricanes, and storms, is not covered by this Warranty. Gusts of wind can be more powerful than average wind speed. **Damage caused by any wind, including average wind speed or gusts, that exceeds 30 km/hour (4 Beaufort) is not covered by this Warranty. Damage caused when Products are left unattended or by poor fixation or use of weak supports is not covered by this Warranty. In addition, in any weather condition, the strap and protection cover need to be correctly used in accordance with usage instructions found on the Umbrosa website and the product manual when closing and opening any Product. Failure to do so can cause damage even when the Product is closed, and this kind of damage is not covered by this Warranty.**



The use of a mobile or movable base has an impact on the wind resistance of the Product. Therefore, always select a base that is heavy enough to ensure stability. Always contact the distributor or Umbrosa should you desire advice on the anchoring method to be used with your Product. www.umbrosa.com contains a large amount of information on this topic. **Direct and indirect damage caused by a falling Product, whether it is in open or closed position, is not covered by the warranty.**

With intensive usage of the Products in a hostile environment, such as near the sea, sand, chlorine, or heavy pollution, the frame and canopy of the Product should be rinsed regularly using fresh water in order to prevent the build-up of salt residue. Maintenance instructions for Products can be found on Umbrosa's website. Damage to Products due to failure to maintain the Product in accordance with the maintenance instructions on Umbrosa's website is not covered by this Warranty.

Umbrosa uses natural products or materials such as wood, concrete, and granite that are susceptible to weather conditions and thus naturally age. This natural aging process in outdoor conditions is not covered by this Warranty. Likewise, Umbrosa cannot guarantee that its products will be free from stains due to animal excrement, pollution phenomena and/or differences in the natural materials used in production.

The Products are subject to normal wear and tear. This warranty covers damaged caused by construction or manufacturing defects only. **Scratches, superficial corrosion, wear due to use, and any other cause are not covered by this Warranty.**

The warranty shall be void and unenforceable if any components or accessories not approved by Umbrosa are used with the Product.

ALL SPECIAL LIMITED WARRANTY PROVISIONS BELOW ARE SUBJECT TO THE FOREGOING WARRANTY RESTRICTIONS AND EXCLU-SIONS.

SPECIAL LIMITED WARRANTY PROVISIONS FOR HARDWARE

These Special Warranty Provisions are only applicable when the Products are used according to the guidelines and restrictions in this Warranty, including compliance with the maintenance instructions as found on www.umbrosa.com and the requirements specified above.

10-year warranty

Umbrosa offers a 10-year warranty on all aluminium extrusion profiles as used in the Icarus, Eclipsum and Spectra.

5-year warranty

Umbrosa offers a 5-year warranty on all glass fiber ribs as used in Spectra and Icarus Products and all welded tubes as used in Paraflex and Infina Products. Colour differences are not covered by this warranty.

Umbrosa offers a 5-year warranty on all stainless steel parts. Scratches, superficial corrosion, and wear due to use are not covered by this Warranty unless the product is structurally weakened as a result.

3-year warranty

Umbrosa offers a 3-year warranty on all synthetic parts and all galvanized steel parts. Scratches and wear due to use are not covered by this Warranty unless the product is structurally weakened as a result.

2-year warranty

Umbrosa offers a 2-year warranty on its granite bases, tile bases, and mobile concrete bases. In case of breakage, the new replacement concrete part may be a different colour than the original, this is unavoidable.

Umbrosa offers a 2-year warranty on all painted parts of its Products. Whenever the paint flakes off or forms bubbles, Umbrosa, at its option, will replace the damaged item or present a custom solution.

SPECIAL LIMITED WARRANTY PROVISIONS FOR FABRICS & TEXTILE PREFABRICATION

Apart from the existing Colorum range, Umbrosa has, in cooperation with Agora and Sunbrella, developed its own fabric with strong warranty conditions. This fabric is called 'Solidum'

5 year warranty (except for protection covers)

Our fabric is engineered for strength, resilience, and longevity. Burn holes, melted holes, or fabric deformation can only be caused by misuse of a Product and are therefore not covered by this Warranty. Daily protection of the umbrella using the protective cover extends the lifespan of the umbrella.



With use of Colorum and Solidum fabric in all Products, a 5-year warranty is offered for discolouration and structural integrity. In the exceptional case of discolouration, Umbrosa, at its option, will offer a new canopy. If a new canopy is offered, the customer is responsible for cutting & prefabrication costs, and Umbrosa is responsible for shipping costs. Under no circumstances will discolouration result in a new canopy free of charge.

For no other Product is usage intensity as well as exposure to UV so different from user to user. Due to the intensive usage of Ingenua sails, very specific warranty conditions apply to this collection.

The warranty on these sails in Sunbrella and Solidum covers discolouration and structural integrity. For continental Europe, this warranty is 3 years. Outside of continental Europe, the warranty is 2 years.

In the exceptional case of discolouration, Umbrosa, at its option, will offer a new canopy. If a new canopy is offered, the customer is responsible for cutting & prefabrication costs, and Umbrosa is responsible for shipping costs. Under no circumstances will discolouration result in a new canopy free of charge.

1 year warranty for zippers

Zippers must be used in accordance with usage instructions found on the Umbrosa website and the product manual. If the zipper is stiff, this issue can quickly be resolved using a silicone spray or another non-oil-based lubricant. In case of zipper breakage within the one-year warranty period, Umbrosa will send a replacement zipper free of charge.

PAYMENT DETAILS

Invoice payments by ACH or Wire transfer. Checks are not accepted. Bank details: KBC Bank N.V., New York Branch FED ABA: 026008248 ACH: 026008248 CHIPS ABA: 824 SWIFT: KREDUS33 ACCOUNT NAME: Umbrosa Inc. ACCOUNT NUMBER 10977201

Payment by credit card upon request.

SAFETY STATEMENTS & WARNINGS

- · Product is suitable for light wind and/or light rain only.
- Position product in direction of wind as recommended in user manual.
- Do not use product in inclement weather, such as strong wind, thunderstorms, heavy rain or snow, and make sure that the umbrella is closed and stored in advance.
- · Never allow the umbrella to flap in the wind. This could cause personal injury, damage to personal property, damage to umbrella and/or umbrella canopy.
- · Close product and secure strap when not in use.
- · Do not use product without its base or unless attached to building structure, and keep umbrella secured to umbrella base or mount at all times.
- Do not use product over or near harsh chemicals or open flames.
- Place product on stable and level surface.
- · Do not allow children to assemble or operate product.
- Do not leave product unattended.
- · Store product indoors during winter and extreme weather conditions.
- When adjusting or assembling the umbrella or umbrella base, make sure fingers, toes or any other parts of the body are clear from moving parts. Failing to do so may result in serious injury.
- Only use Umbrosa replacement parts.
- Read owner's manual.
- · Any modifications to the product or failure to follow recommended care will void the warranty.
- Wind damage is not covered under our limited warranty.

WARRANTY

BEAUFORT SCALE

| BEAUFORT N° | DESCRIPTION | KM/U | MPH | EFFECTS OBSERVED ON LAND |
|-------------|-----------------|--------|-------|--|
| 1 | Light air | 1-5 | 1-3 | Direction of wind shown by smoke drift. |
| 2 | Light breeze | 6-11 | 4-6 | Wind felt on face, leaves rustle. |
| 3 | Gentle breeze | 12-19 | 7-10 | Leaves ans small twigs in constant motion, wind extends light flag. |
| 4 | Moderate breeze | 20-28 | 11-16 | Raises dust and loose paper, small branches are moved. |
| 5 | Fresh breeze | 29-38 | 17-21 | Small trees in leaf begin to sway, crested wavelets form on inland waters. |
| 6 | Strong breeze | 39-49 | 22-27 | Large branches in motion, umbrellas used with difficulty. |
| 7 | Near gale | 50-61 | 28-33 | Whole trees in motion, inconvinience felt in walking against the wind. |
| 8 | Gale | 62-74 | 34-40 | Breaks twiggs of trees. |
| 9 | Stong gale | 75-88 | 41-47 | Slight structural damage occurs (chimney pots and slate removed). |
| 10 | Storm | 89-102 | 48-55 | Trees uprooted, considerable structural damage occurs. |

PRODUCT STRENGTH ACCORDING TO THE BEAUFORT SCALE*

| PRODUCT | BFT SCORE | PRODUCT | BFT SCORE |
|---------------------------|-----------|-----------------------|-----------|
| PARAFLEX / PARAFLEX UX/PX | 3 - 6 | INGENUA | 4 - 8 |
| SPECTRA / VERSA UX/PX | 4 - 7 | ECLIPSUM UX/PX | 5 - 6 |
| NATA / NATA UX | 5 - 6 | ICARUS / ICARUS UX/PX | 5 - 9 |

* The wind scores are valid for a parasol placed on the ground floor. For installation of a parasol on another, higher floor, contact Umbrosa for the best possible solution.

TIPS FOR THE IDEAL WIND POSITION

NATA / NATA UX

For Nata, we advise to avoid wind from below (1), to fully open the canopy and put the umbrella on a flat surface. When closing the umbrella the strap needs to be correctly used. Failure in doing so can cause damage even in a closed position.

PARAFLEX / PARAFLEX UX / PARAFLEX PX

For Paraflex (UX/PX) we advise to position the arm following the direction of the wind (1), completely stretch out the arm (2), place the grip in between the ribs (3), put the umbrella horizontally (4) and on a flat surface.

SPECTRA / VERSA UX / VERSA PX

For Spectra, Versa (UX/PX), we advise to position the umbrella in the direction of the wind (1), put the arm in a 10° angle (2) and put the umbrella on a flat surface.

ICARUS / ICARUS UX / ICARUS PX

For Icarus (UX/PX), we advise to position the umbrella in the direction of the wind (1), put the umbrella in a slight upward position (2) and put it on a flat surface.

ECLIPSUM UX / ECLIPSUM PX

For Eclipsum (UX/PX), we advise to position the umbrella in the direction of the wind (1), put the circle under a slight angle (2) and put it on a flat surface.

INGENUA

For Ingenua, we advise you to put the sail in a angled position to prevent wind from getting under the sail (1); to put full tension on the sail only by using the Umbrosa ropes and dogbones (2) and to install the poles in a backward position (3).

GENERAL

When closing the umbrella, the strap and protection cover need to be correctly used. Failure in doing so can cause damage, even in a closed position.

